

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Forest of Fir

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Village Craft and Candle
 158 Queen Street East
 St. Marys Ontario N4X 1B5
 (519) 284-9900 FAX 519-284-9966
 https://villagecraftandcandle.com/

Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 4	H332: Harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes skin irritation. 16 : Causes eye irritation.
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
Reproductive/Developmental	38 : May damage fertility or the unborn child.
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [X] IARC [] NTP [X] OSHA [X]

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Product: **Forest of Fir**

Signal Word: Warning

Hazard statements

H227	Combustible liquid
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H332	Harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312 + P340	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim to fresh air and keep at rest in a position comfortable for breathing
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
117-81-7 <i>Diethyl Hexyl Phthalate</i>	204-211-0	70 - 80 %	H360	ACGIH, NTP, OSHA
125-12-2 <i>Isobornyl acetate</i>	204-727-6	5 - 10 %	H227; H316; H401	11, 15
8021-29-2 <i>Abies sibirica oil</i>	294-351-9	2 - 5 %	H226; H304; H316; H319; H400; H410	12, 16, 3, 31
8000-27-9 <i>Juniperus Virginiana Oil</i>	285-370-3	2 - 5 %	H304; H316; H400; H401; H410; H411	3



158 Queen St. E.
St. Marys, Ontario N4X 1B5
(519) 284-9900 FAX (519) 284-9966
info@vccandle.com
<https://villagecraftandcandle.com/>

120-51-4

204-402-9

1 - 2 %

H302; H313; H400; H411

SDS Type: GHS / OSHA

Safety Data Sheet

Product: **Forest of Fir**

Page 3 of 8
2017-12-21

28, 3

Benzyl Benzoate

Product: **Forest of Fir**

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
128-37-0	204-881-4	1 - 2 %	H316; H400; H410	
<i>Butylated hydroxytoluene</i>				
68608-34-4	304-454-3	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 3
<i>Citrus (Terpenes) extract</i>				
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 15, 24, 25, 31
<i>β-Pinene</i>				
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	12, 15, 31
<i>Dimethyltetrahydro Benzaldehyde</i>				
			H411	
103-95-7	203-161-7	0.1 - 1.0 %	H227; H303; H315; H317; H401; H412	11, 15, 31
<i>2-Methyl-3-(p-isopropylphenyl)propionaldehyde</i>				
80-56-8	201-291-9	0.1 - 1.0 %	H226; H303; H304; H315; H317; H400; H410	11, 15, 25
<i>a-Pinene</i>				
68647-72-3	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31
<i>Limonene</i>				
8014-17-3(P)	277-143-2	0.1 - 1.0 %	H227; H315; H317; H318; H401; H411	12, 3, 31
<i>Citrus Aurantium Amara (Bitter Orange) Leaf/Twig Oil</i>				
68527-77-5	271-282-2	0.1 - 1.0 %	H315; H317; H319	
<i>2,4,6-Trimethyl-3-cyclohexene-1-methanol (Isocyclogeraniol)</i>				
6485-40-1	229-352-5	0.1 - 1.0 %	H227; H313; H317; H401	11, 15
<i>l-Carvone</i>				
586-62-9	209-578-0	0.1 - 1.0 %	H227; H303; H304; H316; H317; H400; H401; H410	
<i>Terpinolene</i>				
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412	
<i>IsoCycloCitral</i>				
87-44-5	201-746-1	0.1 - 1.0 %	H304; H316; H317	31, 4
<i>beta-Caryophyllene</i>				

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 5.09

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.



158 Queen St. E.
St. Marys, Ontario N4X 1B5
(519) 284-9900 FAX (519) 284-9966
info@vccandle.com
<https://villagecraftandcandle.com/>

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Forest of Fir**

Page 5 of 8
2017-12-21

Skin Exposure:

Remove contaminated clothes. Wash thoroughly with water (and soap).
Contact physician if symptoms persist.

Ingestion:

Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:

no data available

Risks:

Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam
Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component	ACGIH		OSHA	
	TWA ppm	STEL ppm	TWA ppm	STEL ppm
128-37-0 <i>Butylated hydroxytoluene</i>		2		
127-91-3 <i>β-Pinene</i>		20		



158 Queen St. E.
St. Marys, Ontario N4X 1B5
(519) 284-9900 FAX (519) 284-9966
info@vccandle.com
<https://villagecraftandcandle.com/>
80-56-8 *a-Pinene*

Safety Data Sheet

Product: **Forest of Fir**

SDS Type: GHS / OSHA

Page 7 of 8
2017-12-21

20

Product: **Forest of Fir**Page 8 of 8
2017-12-21**Engineering Controls:** Use local exhaust as needed.**8.2 Exposure controls - Personal protective equipment****Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.**9. Physical and Chemical Properties****9.1 Information on basic physical and chemical properties**

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow (G6) to Greenish Yellow (G7)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	185 F (85.00 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0646
%VOC:	7.4955
Specific Gravity @ 25 C:	0.9745
Density @ 25 C:	0.9715
Refractive Index @ 20 C:	1.4865
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

Safety Data Sheet

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 5,327.69) Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 12,450.77) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 12.43) Harmful if inhaled
Skin corrosion/irritation	Causes mild skin irritation
Serious eye damage/irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
IATA (Air Cargo)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
IMDG (Sea)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act):	All components of the substance/mixture are listed or exempt
40 CFR (EPCRA, SARA, CERCLA and CAA) 6422-86-2 229-176-9 70 - 80 %	This product contains the following components: Diocetyl Tere Phthalate (DOTP)

U.S. State Regulations:

California Proposition 65 Warning	This product contains the following components:
117-81-7 204-211-0 70 - 80 %	Diethyl Hexyl Phthalate
93-15-2 202-223-0 <= 4 ppm	Methyl Eugenol (NFS)
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL	100.00% of the components are listed or exempt.
-------------------	---

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk	(TFV) Risk
(1.90) Skin Corrosion/Irritation, Category 3	(5.81) Sensitization, Skin, Category 1B
(4.07) Aquatic Chronic Toxicity, Category 2	

Department E-mail address: info@vccandle.com



158 Queen St. E.
St. Marys, Ontario N4X 1B5
(519) 284-9900 FAX (519) 284-9966
info@vccandle.com
<https://villagecraftandcandle.com/>

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **Forest of Fir**

Page 11 of
8

Remarks

This safety data sheet is based on the properties of the material known to Village Craft and Candle at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Village Craft and Candle holds no responsibility. This document is not intended for quality assurance purposes.