

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: HUGO BOSS TYPE

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Village Craft and Candle
158 Queen Street East
St. Marys Ontario N4X 1B5
(519) 284-9900 FAX 519-284-9966
https://villagecraftandcandle.com/

Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIB Combustible Liquid
Acute Dermal/Eye	12 : Causes skin irritation. 16 : Causes eye irritation.
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
Sensitization/Allergic Response	31 : May cause allergic skin reaction. 32 : May cause light-induced allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver. 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Product: **HUGO BOSS TYPE**

Signal Word: Warning

Hazard statements

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H333 May be harmful if inhaled
- H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

- P264 Wash hands thoroughly after handling
- P272 Contaminated work clothing should not be allowed out of the workplace
- P273 Avoid release to the environment

Response:

- P302 + P352 IF ON SKIN: Wash with soap and water
- P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
- P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
- P362 Take off contaminated clothing and wash before reuse
- P363 Wash contaminated clothing before reuse
- P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
24851-98-7	246-495-9	5 - 10 %	H402	
<i>Methyl dihydrojasmonate</i>				
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410	11, 31
<i>Tetramethyl Acetyloctahydronaphthalenes</i>				
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402	11, 15
<i>2,6-dimethyloct-7-en-2-ol</i>				
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	12, 26
<i>Linalool</i>				
115-95-7	204-116-4	1 - 2 %	H227; H315; H319; H402	
<i>Linalyl acetate</i>				
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411	28, 3



158 Queen St. E.
St. Marys, Ontario N4X 1B5
(519) 284-9900 FAX (519) 284-9966
info@vccandle.com
<https://villagecraftandcandle.com/>

Safety Data Sheet

SDS Type: GHS / OSHA

Product: **HUGO BOSS TYPE**

Page 3 of 7
2017-10-17

Benzyl Benzoate

8008-56-8

284-515-8

1 - 2 %

H226; H304; H315; H400; H410

12, 3, 31, 32

Citrus medica limonum (Lemon) peel oil

Product: **HUGO BOSS TYPE**

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
19870-74-7	243-384-7	1 - 2 %	H316	15
<i>Cedrol methyl ether</i>				
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402	11, 15, 31
<i>Hydroxycitronellal</i>				
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H401; H411	

a-Methyl-1,3-benzodioxole-5-propionaldehyde

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 1.18

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO ₂), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:	Water may be ineffective
------------------------------	--------------------------

5.3 Advice for firefighters

Further information:	Standard procedure for chemical fires
-----------------------------	---------------------------------------

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.



158 Queen St. E.
St. Marys, Ontario N4X 1B5
(519) 284-9900 FAX (519) 284-9966
info@vccandle.com
<https://villagecraftandcandle.com/>

Safety Data Sheet

Product: **HUGO BOSS TYPE**

SDS Type: GHS / OSHA

Page 5 of 7
2017-10-17

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Product: **HUGO BOSS TYPE**Page 6 of 7
2017-10-17**6.3 Methods and materials for containment and cleaning up**

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage**7.1 Precautions for safe handling**

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection**8.1 Control parameters**

Exposure Limits: Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties**9.1 Information on basic physical and chemical properties**

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow (G2-3)

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined

Melting Point: Not determined

Flashpoint (CCCFP): >200 F (93.33 C)

Auto flammability: Not determined

Explosive Properties: None Expected

Oxidizing properties: None Expected

Product: **HUGO BOSS TYPE**

Page 7 of 7
2017-10-17

Vapor Pressure (mmHg@20 C):	0.0166
%VOC:	1.4215
Specific Gravity @ 25 C:	0.9290
Density @ 25 C:	0.9260
Refractive Index @ 20 C:	1.4528
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 5,068.94) Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 7,130.23) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 126.65) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available
Toxicity on other organisms no data available

12.2 Persistence and degradability no data available
12.3 Bioaccumulative potential no data available
12.4 Mobility in soil no data available
12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
IATA (Air Cargo)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
IMDG (Sea)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning This product contains the following components:
123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 99.86% of the components are listed or exempt.

16. Other Information**GHS H-Statements referred to under section 3****Total Fractional Values**

(TFV) Risk

(1.29) Skin Corrosion/Irritation, Category 2

(2.67) Aquatic Chronic Toxicity, Category 2

(TFV) Risk

(5.00) Sensitization, Skin, Category 1B

Department E-mail address: info@vccandle.com

Remarks

This safety data sheet is based on the properties of the material known to Village Craft and Candle at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Village Craft and Candle holds no responsibility. This document is not intended for quality assurance purposes.