

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade Name:** SALTED CARAMEL

### 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

**Supplier:** Village Craft and Candle  
158 Queen Street East  
St. Marys Ontario N4X 1B5  
(519) 284-9900 FAX 519-284-9966  
https://villagecraftandcandle.com/

### 1.4 Emergency telephone number

**(800) 255-3924** Domestic USA, Canada, Puerto Rico, and US Virgin Islands  
**+1 813 248-0585** International

## 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 4	H302: Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Carcinogenicity, Category 1B	H350: May cause cancer
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	11 : May cause skin irritation. 16 : Causes eye irritation.
Acute Inhalation	24 : Causes respiratory tract irritation. 25 : Inhalation at high levels may cause: difficulty in breathing, drowsiness.
Acute Oral	2 : Harmful if swallowed
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	27 : Prolonged or repeated inhalation may cause damage to: liver, spleen, blood, heart, lungs, nervous system. 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

### 2.2 Label elements

Product: **SALTED CARAMEL**

Page 2 of 7  
2017-08-15

## Labelling (REGULATION (EC) No 1272/2008)

### Hazard pictograms



**Signal Word: Danger**

### Hazard statements

H227	Combustible liquid
H302	Harmful if swallowed
H313	May be harmful in contact with skin
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H350	May cause cancer
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

### Precautionary Statements

#### Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

#### Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO <sub>2</sub> ), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

### 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
<b>120-51-4</b>	204-402-9	> 80 %	H302; H313; H400; H411	28, 3
<i>Benzyl Benzoate</i>				
<b>121-33-5</b>	204-465-2	2 - 5 %	H303; H319	31
<i>Vanillin</i>				
<b>104-67-6</b>	203-225-4	2 - 5 %	H316; H401; H402; H412	11
<i>gamma-Undecalactone</i>				
<b>105-54-4</b>	203-306-4	2 - 5 %	H226; H401	11
<i>Ethyl butyrate</i>				
<b>4940-11-8</b>	225-582-5	1 - 2 %	H302	2
<i>Ethyl maltol</i>				
<b>141-78-6</b>	205-500-4	1 - 2 %	H225; H319; H336	16, 24, 25, 27
<i>Ethyl acetate</i>				
<b>600-14-6</b>	209-984-8	0.1 - 1.0 %	H225; H303; H313; H316; H317; H318; H373; H402	12, 16, 21
<i>2,3-Pentanedione</i>				
<b>3658-77-3</b>	222-908-8	0.1 - 1.0 %	H303; H317; H319; H401	
<i>Dimethylhydroxy furanone</i>				
<b>8008-45-5</b>	282-013-3	0.1 - 1.0 %	H226; H304; H315; H317; H341; H350; H400; H410	11, 15
<i>Myristica fragrans (Nutmeg) kernel oil</i>				

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.12

## 4. First Aid Measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
<b>Eye Exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin Exposure:</b>	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
<b>Ingestion:</b>	Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms:</b>	no data available
<b>Risks:</b>	Refer to Section 2.2 "Hazard Statements"



158 Queen St. E.  
St. Marys, Ontario N4X 1B5  
(519) 284-9900 FAX (519) 284-9966  
info@vccandle.com  
<https://villagecraftandcandle.com/>

# Safety Data Sheet

SDS Type: GHS / OSHA

Product: **SALTED CARAMEL**

Page 4 of 7  
2017-08-15

## 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

**Suitable:** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam

**Unsuitable:** Do not use a direct water jet on burning material

# Safety Data Sheet

## 5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

## 5.3 Advice for firefighters

**Further information:** Standard procedure for chemical fires

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:**

Component		ACGIH		OSHA	
		TWA ppm	STEL ppm	TWA ppm	STEL ppm
141-78-6	<i>Ethyl acetate</i>	400		400	
600-14-6	<i>2,3-Pentanedione</i>				0

**Engineering Controls:** Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Conforms to Standard
<b>Odor:</b>	Conforms to Standard
<b>Color:</b>	Greenish Yellow
<b>Viscosity:</b>	Liquid
<b>Freezing Point:</b>	Not determined
<b>Boiling Point:</b>	Not determined
<b>Melting Point:</b>	Not determined
<b>Flashpoint (CCCFP):</b>	154 F (67.78 C)
<b>Auto flammability:</b>	Not determined
<b>Explosive Properties:</b>	None Expected
<b>Oxidizing properties:</b>	None Expected
<b>Vapor Pressure (mmHg @20 C):</b>	1.6998
<b>%VOC:</b>	3.721
<b>Specific Gravity @ 25 C:</b>	1.1060
<b>Density @ 25 C:</b>	1.1030
<b>Refractive Index @ 20 C:</b>	1.5545
<b>Soluble in:</b>	Oil

## 10. Stability and Reactivity

<b>10.1 Reactivity</b>	None
<b>10.2 Chemical stability</b>	Stable
<b>10.3 Possibility of hazardous reactions</b>	None known
<b>10.4 Conditions to avoid</b>	None known
<b>10.5 Incompatible materials</b>	Strong oxidizing agents, strong acids, and alkalis
<b>10.6 Hazardous decomposition products</b>	None known

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

<b>Acute toxicity - Oral - (Rat) mg/kg</b>	(LD50: 1,645.80) Harmful if swallowed
<b>Acute toxicity - Dermal - (Rabbit) mg/kg</b>	(LD50: 3,834.62) May be harmful in contact with skin
<b>Acute toxicity - Inhalation - (Rat) mg/L/4hr</b>	(LC50: 235.03) May be harmful if inhaled
<b>Skin corrosion/irritation</b>	Not classified - the classification criteria are not met
<b>Serious eye damage/irritation</b>	Not classified - the classification criteria are not met
<b>Respiratory sensitization</b>	Not classified - the classification criteria are not met
<b>Skin sensitization</b>	May cause an allergic skin reaction

<b>Germ cell mutagenicity</b>	Not classified - the classification criteria are not met
<b>Carcinogenicity</b>	May cause cancer
<b>Reproductive toxicity</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - single exposure</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - repeated exposure</b>	Not classified - the classification criteria are not met
<b>Aspiration hazard</b>	Not classified - the classification criteria are not met

## 12. Ecological Information

### 12.1 Toxicity

<b>Acute aquatic toxicity</b>	Very Toxic to aquatic life
<b>Chronic aquatic toxicity</b>	Toxic to aquatic life with long lasting effects
<b>Toxicity Data on soil</b>	no data available
<b>Toxicity on other organisms</b>	no data available

**12.2 Persistence and degradability** no data available

**12.3 Bioaccumulative potential** no data available

**12.4 Mobility in soil** no data available

**12.5 Other adverse effects** no data available

## 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
<b>U.S. DOT (Non-Bulk)</b> Chemicals NOI	Not Regulated - Not Dangerous Goods			
<b>ADR/RID (International Road/Rail)</b>				
Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082
<b>IATA (Air Cargo)</b>				
Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082
<b>IMDG (Sea)</b>				
Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082



**15. Regulatory Information****U.S. Federal Regulations:**

<b>TSCA (Toxic Substance Control Act):</b>	All components of the substance/mixture are listed or exempt
<b>40 CFR (EPCRA, SARA, CERCLA and CAA)</b>	This product contains the following components:
141-78-6      205-500-4    1 - 2 %	Ethyl acetate

**U.S. State Regulations:**

<b>California Proposition 65 Warning</b>	This product contains the following components:
94-59-7      202-345-4    <= 38 ppm	Safrole (NFS)
93-15-2      202-223-0    <= 10 ppm	Methyl Eugenol (NFS)
123-35-3(NF) 204-622-5    <= 30 ppm	beta-Myrcene (NFS)

**Canadian Regulations:**

<b>DSL / NDSL</b>	100.00% of the components are listed or exempt.
-------------------	---

**16. Other Information****GHS H-Statements referred to under section 3****Total Fractional Values**

(TFV) Risk	(TFV) Risk
(2.00) Sensitization, Skin, Category 1A	(2.00) Carcinogenicity, Category 1B
(3.47) Aquatic Acute Toxicity, Category 1	(3.54) Aquatic Chronic Toxicity, Category 2

**Department E-mail address:**      [info@vccandle.com](mailto:info@vccandle.com)

## Remarks

This safety data sheet is based on the properties of the material known to Village Craft and Candle at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Village Craft and Candle holds no responsibility. This document is not intended for quality assurance purposes.